

# Deck Mounted Bath Shower Mixer with Shower Handset



## Product features:


- · Metal construction throughout
- Quarter turn handle action for precise flow control
- · Minimalist planate design form
- Supplied with fixed 3/4" inlets for maximum stability and flow
- A modern design classic style

Packaged properties:

**Box length:** 280 mm **Box depth:** 170 mm **Box width:** 210 mm **Boxed weight:** 3.80 kg

Includes pop up waste?: No Additional comments:

#### **Product dimensions:**



• Overall Height / projection: 140 mm

• Exit reach: 130 mm • Exit height: 75 mm


• Centre distance(s): 180 mm

• Base diameter(s): 50 mm

Product mounted where: Surface
 Recommended hole diameter: 35 mm
 Min. fitting depth required: n/a mm

• Max. surface depth: 45 mm

## Product flow characteristics:



Min / Max water pressure: 0.5 / 5.5 bar
Part G mixed flow rate at 3 bar (I/m): 20.33

• Max water temperature: 70° C

Product flow characteristics: Single Flow
Aerator type: Grey flow straightener
Includes output diverter?: Yes
Control valve type: 3/4 QT CD (8-20)
Non return valve position: No
Mesh particle filter size: N/A

Inlet / outlet size: 3/4" M / N/A
Inlet type / length: Fixed / 53 mm

• Shower hose type / length: Smoothflex / 1.50 m

# Warranty Summary (Full details available on request):

- Materials and workmanship defects warranted for 5 years
- Valves and working parts warranted for 5 years
- Surface warranty defects warranted for 1 year
- O-rings, hoses & gaskets warranted for 1 year

#### Care instructions:

- Clean the mixers and showers regularly as required, using soap, do not use any other cleaners.
- Regular cleaning will prevent the build up of lime scale and dirt
- Regular cleaning will prevent the build up of lime scale and dift
   After cleaning rinse thoroughly with clean water to remove any cleaner residue
- Residues of liquid soaps, shampoos and shower foams can also cause damage, so rinse with clean water after using, avoid contact with any abrasives