



### Product features:

- Metal construction throughout
- Custom designed for lower range pressures
- Quarter turn handle action for precise flow control
- Fixed spout to prevent accidental water damage
- Minimalist planate design form


### Packaged properties:

**Box length:** 390 mm      **Box depth:** 80 mm  
**Box width:** 240 mm      **Boxed weight:** 3.10 kg

**Includes pop up waste?:** No


**Additional comments:**

### Product dimensions:



- **Overall Height / projection:** 225 mm
- **Exit reach:** 145 mm
- **Exit height:** 117 mm
- **Centre distance(s):** 120 - 210 mm
- **Base diameter(s):** 60, 60, 60 mm
- **Product mounted where:** Surface
- **Recommended hole diameter:** 32-45, 36-40, 32-45 mm
- **Min. fitting depth required:** 0 mm
- **Max. surface depth:** 30 mm

### Product flow characteristics:



- **Min / Max water pressure:** 0.2 / 5.5 bar
- **Part G mixed flow rate at 3 bar (l/m):** 43
- **Max water temperature:** 70° C
- **Product flow characteristics:** Single flow
- **Aerator type:** Rectangular flow straightener 37 x 12
- **Includes output diverter?:** N/A
- **Control valve type:** 1/2" QT CD (8-20)
- **Non return valve position:** no
- **Mesh particle filter size:** n/a
- **Inlet / outlet size:** 3/4" F / M12 (extended head)
- **Inlet type / length:** Flexi / 420 mm
- **Shower hose type / length:** N/a / n/a

### Warranty Summary (Full details available on request):

- Materials and workmanship defects warranted for 5 years
- Valves and working parts warranted for 5 years
- Surface warranty defects warranted for 1 year
- O-rings, hoses & gaskets warranted for 1 year

### Care instructions:

- Clean the mixers and showers regularly as required, using soap, do not use any other cleaners.
- Regular cleaning will prevent the build up of lime scale and dirt
- After cleaning rinse thoroughly with clean water to remove any cleaner residue
- Residues of liquid soaps, shampoos and shower foams can also cause damage, so rinse with clean water after using, avoid contact with any abrasives