



Fitting type: Inset

Sink handing: Reversible

Finish style: Brushed steel

- **Min. base unit (bowl, tap & overflow only):** 500 mm
- **Packaged size L x W x D:** 1035 x 530 x 200mm
- **Supplied boxed or sleeved:** Boxed
- **Boxed weight:** 5.60 kg
- **Sink only weight:** 3.58 kg

- Durable 18/10 stainless steel construction throughout
- Comfortably fits in a 500 base cabinet
- Large capacity drainer area
- Light brushed steel texture
- Reversible drainer position for maximum flexibility
- Taphole provision to accept Switch filter diverter? Yes, on sink deck

Included parts:



1 x AX1001 (m)
90mm (1.5") Orbit manual basket
strainer waste - short bolt



1 x AX1006 (m)
Rectangular overflow pipework



1 x AX1008 (m)
1.0 Bowl pipework



1 x AX4011 (m)
Fitting & care instructions & data sheet
- st/st inset - metal clip



1 x AX1029 (m)
Inset stainless steel fixing clips x 10




1 x AX1030 (m)
Inset self adhesive foam sealing
strip, 3 meters



1 x AX1014 (m)
35mm tap hole cover plate - brushed
steel

Recommended accessories:



1 x AX2500
Silicone drainer mat 320 x 320mm



1 x AX1011
Tap stabilising bracket



1 x AX2502 or AX2503
High & Dry drainer rack - Green & grey
or White & grey

All accessories can be
purchased directly from
www.abode-shop.co.uk
or phone 01226 283434

Materials and workmanship warranty summary:

- Sink materials & workmanship 10 years.
- Waste kits 1 year.
- Connecting pipework 1 year.

Care instructions:

- Clean the products regularly using soapy water and a non abrasive cloth, regular cleaning will prevent the build up of lime scale and dirt.
- Avoid contact with corrosive or abrasive substances.
- After cleaning rinse thoroughly with clean water then dry.
- For more detail see supplied booklet or www.abode.eu




EN13310:2003
Domestic kitchen sink made of Stainless steel

Cleanability: Pass
Load resistance: NPD / NA
(applies to wall hung sinks only)
Durability: Pass
For more information see www.abode.eu/ce.html

Product dimensions and installation information:




symbol indicates position of acoustic pad on stainless products.



*Important, fabricator / installer notes:

For undermount sinks:

The cut out size indicated is aligned with outside edge of the bowl top radius (see below).



You should confirm with your client if the worksurface cutout is to be cut flush, inside or outside this suggested perimeter shape & size.

If you create the cutout smaller or larger than the indicated size then the fit of the accessories may be affected and should be physically checked.

General:

All details are provided in good faith and within the tolerances of the manufacturing process.


Note: the dimensions on ceramic fireclay products are subject to wider tolerances due to the nature of this natural material and the firing process.

We recommend that a test cutout is made in scrap timber and checked against the actual sink supplied before committing to cutting the worksurface.

Abode can not accept liability for problems or costs incurred by failure to follow this advice.

CAD cutout files can be downloaded from www.abode.eu

INSET CUT OUT



Overall product size: 950 x 508 x 172 corner radius 20mm

Tap hole(s) detail: 2 x Ø 35mm, precut

Compatibility with large square taps: Please check compatibility of some large square base design taps with this sink

Wastehole(s) detail (mm): 90 / N/A / N/A (nb. 90mm wastes accept a waste disposal unit)

Min. base unit (refers to space required for bowl, tap and overflow only): fits 500mm carcass

Min. Recessed fitting width: required (bowl(s), tap and overflow: 410mm

***Worktop cut out size:** 930x488 corner radius 10mm, for .DXF cut files please see www.abode.eu

Min. & Max worktop depth or clip depth reach range: 25 - 42mm

Fitting temple supplied? No, use cut out instructions as supplied

Dishwasher under drainer? Distance from top of worktop to underside of the drainer 6mm

Other: Please check compatibility of some large square base design taps with this sink

Bowl details: (sizes in mm unless specified otherwise)

Bowl 1 (typically main bowl):

Bowl 1 size L x W x D (mm): 360 x 424 x 155

Bowl 1 construction: Pressed, 0.70mm

Bowl 1 floor radius (mm): 45

Bowl 1 Wastehole diameter (mm): 90

Bowl 1 overflow: Slotted, barcode pattern

Bowl 1 texture: Soft Brushed

Bowl 1 apx. volume (litres): 16.60

Bowl 2 (typically ½ or ¼ bowl):

Bowl 2 size L x W x D (mm): N/A x N/A x N/A

Bowl 2 construction: N/A, N/Amm

Bowl 2 floor radius (mm): N/A

Bowl 2 Wastehole diameter (mm): N/A

Bowl 2 overflow: N/A

Bowl 2 texture: N/A

Bowl 2 apx. volume (litres): N/A

Bowl 3:

Bowl 3 size L x W x D (mm): N/A x N/A x N/A

Bowl 3 construction: N/A, N/Amm

Bowl 3 floor radius (mm): N/A

Bowl 3 Wastehole diameter (mm): N/A

Bowl 3 overflow: N/A

Bowl 3 texture: N/A

Bowl 3 apx. volume (litres): N/A

Important: Please retain this sheet for future use