abode

Mikro
1.5 Bowl & drainer

Fitting type: Inset   **Sink handing:** Reversible   **Finish style:** Top brushed

- **Min. base unit (bowl, tap & overflow only):** 600 mm
- **Packaged size L x W x D:** 925 x 590 x 270mm
- **Supplied boxed or sleeved:** Boxed
- **Boxed weight:** kg
- **Sink only weight:** 3.80 kg

- Durable 18/10 stainless steel construction throughout
- One a half bowl design for maximum practicality
- Reversible drainer position for maximum flexibility
- Easy clean bowl curves
- Perfect when complimented with the Orbit waste
- Taphole provision to accept Swich filter diverter? Yes, on sink deck

Included parts:

|				
2 x AX1005 (m) Std BSW	1 x AX1006 (m) Rectangular overflow pipework	1 x AX1009 (m) 1.5 or 2.0 Bowl pipework	1 x AX4000 (m) Fitting & care instructions & data sheet - st/st inset	1 x AX1019 (m) Inset self adhesive foam sealing strip, 3.0 meters

|	
AX1014 (m) 35mm tap hole cover plate - brushed steel	1 x AX1015 (m) Inset stainless steel fixing clips x 8

Recommended accessories:

|			
1 x AX2501 Silicone drainer mat 330 x 390mm	1 x AX1011 Tap stabilising bracket	1 x AX3008 Bowl mat 246 x 302 R37	1 x AX2014 Glass Chopping Board 500x280mm (450) - Black Gloss

All accessories can be purchased directly from www.abode-shop.co.uk or phone 01226 283434

Materials and workmanship warranty summary:

- Sink materials & workmanship 10 years.
- Waste kits 1 year.
- Connecting pipework 1 year.

Care instructions:

- Clean the products regularly using soapy water and a non abrasive cloth, regular cleaning will prevent the build up of lime scale and dirt.
- Avoid contact with corrosive or abrasive substances.
- After cleaning rinse thoroughly with clean water then dry.
- For more detail see supplied booklet or www.abode.eu

CE EN13310:2003
Domestic kitchen sink made of Stainless steel

|	
Cleanability:	Pass
Load resistance:	NPD / NA (applies to wall hung sinks only)
Durability:	Pass

For more information see www.abode.eu/ce.html

Product dimensions and installation information: note: (AP) symbol indicates position of acoustic pad on stainless products.

⚠

*Important, fabricator / installer notes for undermount sinks:

The cut out size indicated is aligned with outside edge of the bowl top radius (see example below).

You should confirm with your client if the worksurface cutout is to be cut flush, inside or outside this suggested perimeter shape & size.

If you create the cutout smaller or larger than the indicated size then the fit of the accessories may be affected and should be physically checked.

General:

All details are provided in good faith but do not include the tolerances of the material or manufacturing process.

We request that a test cutout is made in scrap timber and checked against the actual sink to be installed before committing to cutting the final worksurface.

Abode can not accept liability for problems or costs incurred by failure to follow this request.

Note: the dimensions on ceramic fireclay products are subject to wider tolerances due to the nature of this natural material and the firing process.

CAD cutout files can be downloaded from www.abode.eu

Overall product size: 1000 x 500 x 187 corner radius 10mm

Taphole(s) detail: 2 x Ø 35mm, precut
Compatability with large square taps: Please check compatability of some large square base design taps with this sink
Wastehole(s) detail (mm): 90 / 90 / N/A (nb. 90mm wastes accept a waste disposal unit)

Min. base unit (refers to space required for bowl, tap and overflow only): fits 600mm carcass
Min. Recessed fitting width: required (bowl(s), tap and overflow: 551mm
*Worktop cut out size: 976x476 corner radius 10mm, for .DXF cut files please see www.abode.eu
Min. & Max worktop depth or clip depth reach range: 25 - 45mm
**Fitting temple supplied?** No, use cut out instructions as supplied
Dishwasher under drainer? Distance from top of worktop to underside of the drainer 8mm
Other: Please check compatability of some large square base design taps with this sink

Bowl details: (sizes in mm unless specified otherwise)

Bowl 1 (typically main bowl):	Bowl 2 (typically ½ or ¾ bowl):	Bowl 3:
Bowl 1 size L x W x D (mm): 340 x 400 x 170	**Bowl 2 size L x W x D (mm):** 160 x 300 x 90	**Bowl 3 size L x W x D (mm):** N/A x N/A x N/A
Bowl 1 construction: Pressed, 0.70mm	**Bowl 2 construction:** Pressed, 0.70mm	**Bowl 3 construction:** N/A, N/Amm
Bowl 1 floor radius (mm): 45	**Bowl 2 floor radius (mm):** 20	**Bowl 3 floor radius (mm):** N/A
Bowl 1 Wastehole diameter (mm): 90	**Bowl 2 Wastehole diameter (mm):** 90	**Bowl 3 Wastehole diameter (mm):** N/A
Bowl 1 overflow: Slotted, barcode pattern	**Bowl 2 overflow:** N/A	**Bowl 3 overflow:** N/A
Bowl 1 texture: Unbrushed / satin	**Bowl 2 texture:** Unbrushed / satin	**Bowl 3 texture:** N/A
Bowl 1 apx. volume (litres): 13.70	**Bowl 2 apx. volume (litres):** 3.90	**Bowl 3 apx. volume (litres):** N/A

Important: Please retain this sheet for future use

02/12/2013 - This sheet is a summary of the product information full details are available on request, errors & omissions excepted, details are subject to change without prior notification.

www.abode.eu

Product order code: (AW5061)