


Serie | 8, Induction hob, 60 cm, Black PXX675DV1E



















Optional accessories

HEZ390011 : Stainless Steel roaster with glas lid HEZ390012 : Steaming Rack for Stainless Steel roaste

HEZ390042 : Set of 3 pots and 1 pan HEZ390512 : Teppan Yaki (large) HEZ390522 : Griddle Plate HEZ394301 : Connecting strip

The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **PerfectFry:** For perfect browning of roasted foods thanks to sensor control with 5 power levels.
- FlexInduction Zone: Get more flexibility by combining the cooking zones into one big zone for placing small pots and large cookware.
- Induction: Fast, precise cooking, easy cleaning and low energy consumption.
- PowerBoost: Up to 50% more power for faster heating.

Technical Data

Product name/family: Cooking zone ceramic
Construction type: Built-in
Energy input: Electric
Total number of positions that can be used at the same time: 4

Required niche size for installation (HxWxD):

51 x 560-560 x 490-500

Width of the product (mm) : 606 Dimensions of the product (mm) : $51 \times 606 \times 527$

Dimensions of the packed product (HxWxD) (mm):

126 x 753 x 603

Net weight (kg): 14.351 Gross weight (kg): Residual heat indicator: Separate Location of control panel: Hob front Basic surface material: Ceramic Color of surface: Alu, brushed, Black Color of frame: Alu, brushed Approval certificates: AENOR, CE Length of electrical supply cord (cm): 110 4242002943824 EAN code: Electrical connection rating (W): 7400 Voltage (V): 220-240 Frequency (Hz): 60; 50





Serie | 8, Induction hob, 60 cm, Black PXX675DV1E

The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

Design

- Profile trim (front facette with side trim)

Special features

- 4 induction cooking zones
- DirectSelect Premium touch control
- Electronic display
- MoveMode (3 levels)
- Variable 17-stage power settings for each zone
- Timer for all zones

Timer - shows how long the cooktop is in use Count up timer per cooktop

- Automatic pan recognition sensor Automatic safety shut off Control panel lock Control panel lock function
- QuickStart function
- ReStart function
- Energy consumption display
- Cable included
- Connection cable (1.1 M)
- Connected load: 7.4 kW

Power and size:

- Cooking zones: 1 x Ø 380 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 190 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 380 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 190 mm, 2.2 KW (max. Power levels 3.7 KW) Induction
- Min. worktop thickness: 30 mm

Safety Features

- 2 stage residual heat indicator for each zone
- Main on/off switch
- HomeConnect enabled
- HomeConnect Wi-Fi enabled, for hob hood control

Control:


- PerfectFry sensor with 5 temperature settings


Quickness:

- PowerBoost function for all zones
- PanBoost





Serie | 8, Induction hob, 60 cm, Black PXX675DV1E





All measurements in mm





Measurements in mm