


Serie | 8, Induction hob, 80 cm, Black
PXV875DV1E



Optional accessories

- HEZ390011 : Stainless Steel roaster with glas lid
HEZ390012 : Steaming Rack for Stainless Steel roaste
HEZ390042 : Set of 3 pots and 1 pan
HEZ390512 : Teppan Yaki (large)
HEZ390522 : Griddle Plate
HEZ394301 : Connecting strip

The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **PerfectFry:** For perfect browning of roasted foods thanks to sensor control with 5 power levels.
- **FlexInduction Zone:** Get more flexibility by combining the cooking zones into one big zone for placing small pots and large cookware.
- **Induction:** Fast, precise cooking, easy cleaning and low energy consumption.
- **PowerBoost:** Up to 50% more power for faster heating.
- **Home Connect:** Connected home appliances for an easier everyday life.
- **Cooktop-based hood control:** convenient operation of the hood via your hob (with matching hood)

Technical Data

Product name/family :	Cooking zone ceramic
Construction type :	Built-in
Energy input :	Electric
Total number of positions that can be used at the same time :	5
Required niche size for installation (HxWxD) :	51 x 750-780 x 490-500
Width of the product (mm) :	816
Dimensions of the product (mm) :	51 x 816 x 527
Dimensions of the packed product (HxWxD) (mm) :	126 x 953 x 603
Net weight (kg) :	18.545
Gross weight (kg) :	20.0
Residual heat indicator :	Separate
Location of control panel :	Hob front
Basic surface material :	Ceramic
Color of surface :	Alu, brushed, Black
Color of frame :	Alu, brushed
Approval certificates :	AENOR, CE
Length of electrical supply cord (cm) :	110
EAN code :	4242002944289
Electrical connection rating (W) :	7400
Voltage (V) :	220-240
Frequency (Hz) :	60; 50



Serie | 8, Induction hob, 80 cm, Black PXV875DV1E

The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

Design

- Profile trim (front facette with side trim)

Special features

- 5 Induction cooking zones
- DirectSelect Premium touch control
- Electronic display
- MoveMode (3 levels)
- Variable 17-stage power settings for each zone
- Timer for all zones
 - Timer - shows how long the cooktop is in use
 - Count up timer per cooktop
- Automatic pan recognition sensor
 - Automatic safety shut off
 - Control panel lock
 - Control panel lock function
- QuickStart function
- ReStart function
- Energy consumption display
- Cable included
- Connection cable (1.1 M)
- Connected load: 7.4 kW

Power and size:

- Cooking zones: 1 x Ø 180 mm, 1.8 kW (max. Power levels 3.1 kW) Induction; 1 x Ø 145 mm, 1.4 kW (max. Power levels 2.2 kW) Induction; 1 x Ø 240 mm, 2.2 kW (max. Power levels 3.7 kW) Induction; 1 x Ø 400 mmx210 mm, 3.3 kW (max. Power levels 3.7 kW) Induction or 2 x Ø 200 mm, 2.2 kW (max. Power levels 3.7 kW) Induction
- Min. worktop thickness: 30 mm

Safety Features

- 2 stage residual heat indicator for each zone
- Main on/off switch


Control:

- PerfectFry sensor with 5 temperature settings

Quickness:



- PowerBoost function for all zones
- PanBoost

Serie | 8, Induction hob, 80 cm, Black PXV875DV1E



①
Ventilation gap must
be present

All measurements in mm



Measurements in mm

